

1-30-12

All items fully **CERTIFIED** to American Aluminum Association Standards and Tolerances/ASTM B-209/tension leveled flat sheet.

3003H14 NEW JERSEY

8885 lbs.	.019" x 36" x 96"
4772 lbs.	.024" x 36" x 96"
9825 lbs.	.030" x 36" x 96"
5432 lbs.	.050" x 48" x 120"
10,000 lbs.	.090" x 48" x 96"
10,535 lbs.	.090" x 48" x 120"
4478 lbs.	.090" x 48" x 144"
10,448 lbs.	.125" x 48" x 120"

5052H32 to ASTM B209-07/AMS-QQ-A-250;AMS4027N rev. 2008, ASME SB209 and ANSI H35.2

LOS ANGELES

4554 lbs.	.032" x 48" x 96"		
6512 lbs.	.040" x 36" x 96"	.050" x 48" x 96"	2593 lbs.
12,824 lbs.	.040" x 48" x 96"	.050" x 48" x 120"	2840 lbs.
4939 lbs.	.050" x 36" x 96"	.050" x 48" x 144"	3060 lbs.
3419 lbs.	.050" x 36" x 120"	.062" x 48" x 96"	4872 lbs.
3794 lbs.	.050" x 48" x 96"	.062" x 48" x 120"	5538 lbs.
15,486 lbs.	.050" x 48" x 120"	.062" x 48" x 144"	8108 lbs.
8907 lbs.	.050" x 60" x 120"	.080" x 48" x 120"	5040 lbs.
8774 lbs.	.050" x 60" x 144"	.080" x 48" x 144"	6137 lbs.
18,347 lbs.	.063" x 36" x 96"	.080" x 60" x 144"	10344 lbs.
6918 lbs.	.063" x 36" x 120"	.090" x 48" x 120"	3289 lbs.
20,754 lbs.	.063" x 48" x 96"	.090" x 48" x 144"	4259 lbs.
27,562 lbs.	.063" x 48" x 120"	.125" x 48" x 96"	4594 lbs.
8496 lbs.	.063" x 60" x 120"	.125" x 48" x 120"	3320 lbs.
9991 lbs.	.063" x 60" x 144"	.125" x 48" x 144"	7371 lbs.
10,670 lbs.	.080" x 36" x 96"	.125" x 60" x 120"	3960 lbs.
12,741 lbs.	.080" x 36" x 120"	.125" x 60" x 144"	6309 lbs.
4524 lbs.	.080" x 48" x 96"		
13,135 lbs.	.080" x 48" x 120"		
23,754 lbs.	.080" x 48" x 144"		
14,445 lbs.	.080" x 60" x 120"		
22,628 lbs.	.080" x 60" x 144"		
30,957 lbs.	.090" x 36" x 96"		
33,138 lbs.	.090" x 36" x 120"		
14,388 lbs.	.090" x 36" x 144"		

5052H32 NEW JERSEY cont'd

13,309 lbs.	.090" x 48" x 96"
25,185 lbs.	.090" x 48" x 120"
4389 lbs.	.090" x 48" x 144"
8898 lbs.	.090" x 60" x 96"
12,987 lbs.	.090" x 60" x 120"
10,207 lbs.	.090" x 60" x 144"
3950 lbs.	.100" x 60" x 120"
3298 lbs.	.100" x 60" x 144"
39,603 lbs.	.125" x 36" x 96"
16,600 lbs.	.125" x 36" x 120"
10,588 lbs.	.125" x 36" x 144"
16,772 lbs.	.125" x 48" x 120"
4436 lbs.	.125" x 48" x 144"
10,221 lbs.	.125" x 60" x 96"
7400 lbs.	.125" x 60" x 120"
6644 lbs.	.125" x 60" x 144"
2978 lbs.	.188" x 48" x 96"
3040 lbs.	.1875" x 48" x 120"
11,019 lbs.	.188" x 48" x 120"
22,114 lbs.	.1875" x 48" x 144"
10,472 lbs.	.1875" x 60" x 144"
13,023 lbs.	.250" x 48" x 96"
19,347 lbs.	.250" x 48" x 120"
15,346 lbs.	.250" x 48" x 144"
11,720 lbs.	.250" x 60" x 144"
5697 lbs.	.375" x 48" x 120"
8700 lbs.	.500" x 48" x 96"
25,511 lbs.	.500" x 48" x 120"
11,063 lbs.	.500" x 48" x 144"
8576 LBS.	.500" x 60" x 120"
7450 LBS.	.500" x 60" x 144"

NEW JERSEY

Alloy 7075 T651 to ASME-SB209 2007/AMS4078G/ANSI H35.2-2009/ASTM B209-07

15,000 lbs.	.250" x 48.5" x 144.5"	Asian	
26,000 lbs.	.500" x 48.5" x 144.5"	Asian	
21,600 lbs.	.750" x 48.5" x 144.5"	Asian	
25,209 lbs.	1" x 48.5" x 144.5"	Asian	
913 lbs.	1" x 60.5" x 144.5"		European
2240 lbs.	1.25" x 60.5" x 144.5"		European
28,197 lbs.	1.50" x 48.5" x 144.5"	Asian	
5392 lbs.	1.50" x 60.5" x 144.5"		European
5,000 lbs.	1.75" x 48.5" x 144.5"	Asian	
3633 lbs.	2" x 60.5" x 144.5"		European
4000 lbs.	2.75" x 48.5" x 144.5"		European
6411 lbs.	3.5" x 60.5" x 144.5"		European
14,400 lbs.	4" x 48.5" x 144.5"	Asian	

Aluminum Tread Plate/Alloy 3003 H22/tread bright diamond pattern

New Jersey

Los Angeles

5016 lbs.	.063" x 48" x 96"		
4808 lbs.	.125" x 48" x 96"	21,743 lbs.	.125" x 60" x 144"
6391 lbs.	.125" x 48" x 120"	16,685 lbs.	.188" x 60" x 144"
9028 lbs.	.125" x 48" x 144"		
2039 lbs.	.125" x 60" x 144"		
28,428 lbs.	.187" x 48" x 96"		
27,282 lbs.	.1875" x 48" x 120"		
12,185 lbs.	.250" x 48" x 96"		
12,663 lbs.	.250" x 48" x 120"		
4830 lbs.	.250" x 48" x 144"		

**Aluminum Plate/Alloy 6061 T651/European/prime & fully certified to ASME-SB 209
2007/AMS4027N/ANSI H35.2-2009/ASTM B-209-07**

New Jersey

2443 lbs. .188" x 48.5" x 96.5"
 6627 lbs. .250" x 48.5" x 144.5"
 6477 lbs. .250" x 60.5" x 144.5"
 2196 LBS. .375" X 48.5" X 120.5"
 2500 LBS. .375" X 60.5" X 120.5"
 3960 lbs. .750" x 60.5" x 144.5"
 7060 lbs. 1" x 48.5" x 144.5"
 7827 lbs. 1.5" x 60.5" x 144.5"
 3064 lbs. 1.75" x 60.5" x 144.5"
 3461 lbs. 2" x 60.5" x 144.5"
 2174 lbs. 2.5" x 60.5" x 144.5"
 7812 lbs. 3" x 60.5" x 144.5"
 4886 lbs. 3.5" x 48.5" x 144.5"
 3051 lbs. 3.5" x 60.5" x 144.5"
 7848 lbs. 4.5" x 60.5" x 144.5"
 13,122 lbs. 5" x 60.5" x 144.5"
 9498 lbs. 5.5" x 60.5" x 144.5"
 10,468 lbs. 6" x 60.5" x 144.5"
 8677 lbs. 6.5" x 60.5" x 110"
 4691 lbs. 7" x 60.5" x 110"
 4965 lbs. 7.5" x 60.5" x 110"
 5340 lbs. 8" x 60.5" x 110"

Los Angeles

14,546 lbs. .063" x 48" x 144"
 12,952 lbs. .080" x 48" x 144"
 10,934 lbs. .090" x 48" x 144"
 37,650 lbs. .125" x 48" x 144"
 6495 lbs. .188" x 48.5" x 120.5"
 17,259 lbs. .188" x 48" x 144"
 23,523 lbs. .250" x 48.5" x 144.5"
 5419 lbs. .250" x 60.5" x 120.5"
 13,151 lbs. .250" x 60.5" x 144.5"
 5022 lbs. .3125" x 60.5" x 144.5"
 4409 lbs. .375" x 48.5" x 120.5"
 3029 lbs. .375" x 48.5" x 144.5"
 7139 lbs. .375" x 60.5" x 120.5"
 23,220 lbs. .375" x 60.5" x 144.5"
 7791 lbs. .500" x 48.5" x 144.5"
 25,618 lbs. .500" x 60.5" x 144.5"
 4890 lbs. .625" x 60.5" x 144.5"
 13,739 lbs. .750" x 48.5" x 144.5"
 16,919 lbs. .750" x 60.5" x 144.5"
 20,430 lbs. 1" x 48.5" x 144.5"
 37,079 lbs. 1" x 60.5" x 144.5"
 7835 lbs. 1.25" x 48.5" x 144.5"
 4361 lbs. 1.25" x 60.5" x 144.5"
 9585 lbs. 1.375" x 48.5" x 144.5"
 2099 lbs. 1.5" x 48.5" x 96.5"
 15,639 lbs. 1.5" x 48.5" x 144.5"
 22,195 lbs. 1.5" x 60.5" x 144.5"
 9764 lbs. 1.75" x 48.5" x 144.5"
 12,224 lbs. 1.75" x 60.5" x 144.5"
 1861 lbs. 2" x 48.5" x 96.5"
 29,228 lbs. 2" x 48.5" x 144.5"
 10,444 lbs. 2" x 60.5" x 144.5"
 17,210 lbs. 2.25" x 48.5" x 144.5"
 4625 lbs. 2.5" x 48.5" x 96.5"
 22,643 lbs. 2.5" x 48.5" x 144.5"
 17,434 lbs. 2.5"x60.5" x 144.5"
 6239 lbs. 3" x 48.5" x 144.5"
 31,225 lbs. 3" x 60.5" x 144.5"
 11,389 lbs. 3.25" x 48.5" x 144.5"
 14,268 lbs. 3.25" x 60.5" x 144.5"

6061 T651 LOS ANGELES cont'd

4912 lbs.	3.5" x 48.5" x 144.5"
18,356 lbs.	3.5" x 60.5" x 144.5"
2597 lbs.	3.75" x 48.5" x 144.5"
11,178 lbs.	4" x 48.5" x 144.5"
10,490 lbs.	4" x 60.5" x 144.5"
14,818 lbs.	4.25" x 48.5" x 144.5"
22,032 lbs.	4.5" x 48.5" x 144.5"
15,683 lbs.	4.5" x 60.5" x 144.5"
9894 lbs.	4.75" x 48.5" x 144.5"
20,887 lbs.	5" x 48.5" x 144.5"
21,853 lbs.	5" x 60.5" x 144.5"
11,482 lbs.	5.5" x 48.5" x 144.5"
24,003 lbs.	5.5" x 60.5" x 144.5"
8360 lbs.	6" x 48.5" x 144.5"
10,520 lbs.	6" x 60.5" x 144.5"
13,003 lbs.	6.5" x 60.5" x 110"
4696 lbs.	7" x 60.5" x 110"
5004 lbs.	7.5" x 60.5" x 110"
10,556 lbs.	8" x 60.5" x 110"
13,246 lbs.	10" x 60.5" x 110"
29,065 lbs.	11" x 60.5" x 110"
7593 lbs.	11.5" x 60.5" x 110"

Alloy 2024 T351/QQA250/12 / ASTM B209/AMS4037

4839 lbs.	1.125" x 48.5" x 144.5" Asian
7200 lbs.	2" x 48.5" x 144.5" Asian
4300 lbs.	3" x 48.5" x 144.5" Asian

NEW JERSEY

True Muntz Metal - Alloy 280
Cold Rolled - ASTM B36 - Polished Quality

6129 lbs. .037" x 36" x 120"
7932 lbs. .037" x 48" x 96"
2680 lbs. .037" x 48" x 120"
15,228 lbs. .045" x 48" x 96"
18,975 lbs. .045" x 48" x 120"
8746 lbs. .057" x 48" x 96"

9323 lbs. .058" x 36" x 96"
15,674 lbs. .076" x 48" x 96"
2663 lbs. .076" x 48" x 120"
2595 lbs. .077" x 36" x 120"
3182 lbs. .118" x 36" x 120"
4869 lbs. .118" x 36" x 96"
18,455 lbs. .118" x 48" x 96"
3707 lbs. .118" x 48" x 120"
1078 lbs. .245" x 48" x 96"
2719 lbs. .375" x 48" x 96"
3300 lbs. .375" x 48" x 120"
5119 lbs. .500" x 48" x 96"

Commercial Bronze Sheet – Alloy 220-Half hard

4000 lbs. .032" x 36" x 96" 4765 lbs. .090" x 48" x 96"
9625 lbs. .063" x 48" x 96" 4780 lbs. .125" x 48" x 120"
6896 lbs. .063" x 48" x 120" 5276 lbs. .090" x 48" x 120"
2965 lbs. .090" x 36" x 96" 4378 lbs. .125" x 48" x 96"
3617 lbs. .245" x 48" x 96"
8276 lbs. .245" x 48" x 120"

Copper Roofing Sheet - Alloy 122
Cold Rolled - ASTM B370 Bare or Lead coated

16 oz. x 36" x 96"/20 oz. x 36" x 96"
16 oz. x 36" x 120"/20 oz. x 36" x 120"

Soft Copper Flashing Rolls 16 oz. x 6" to 24"/100 lb. rolls

Copper Standing Seam Roofing Coil

16 oz. x 18", 21", 24"/2000 lb. coil

Brass Sheet – Alloy 260 half hard ASTM B-36

Polished Quality – Paper Interleaved

15,595 lbs. .025" x 36" x 96"
2238 lbs. .032" x 36" x 96"
10,287 lbs. .040" x 36" x 96"
1202 lbs. .050" x 36" x 96"
8366 lbs. .090" x 36" x 96"
7610 lbs. .125" x 36" x 96"
1000 lbs. .245" x 48" x 96"
2626 lbs. .245" x 48" x 120"

Copper Bus bar – Alloy 110-Round & Square Edge

Silver Plated and bare huge inventory .125" to .500" x 1" to 8" x 12'

Copper Sheet – Alloy 110 – half hard ASTM B-152

1193 lbs. .090" x 36" x 96"

Stainless Steel Bar - Type 303/304/316

.250" to 6" x 12' lengths/ Rounds/Square/Hex/Flat Bar Mill finish/Satin/Mirror/Super #8 (non-directional)
All subject to prior sale

Stainless Steel Tubing - Type 304/316

.500" to 4" o.d. x .032" to .125" wall x 20' lengths