



395 N. Service Road, Suite 402W • Melville, NY 11747
 Tel: (631) 393-6761 • (800) 370-5520 • Fax: (631) 393-6764
 E-mail: Allmet@aol.com • www.allmetalsales.com

All items fully CERTIFIED to American Aluminum Assoc. Standards and Tolerances

New Jersey

Alloy 7075 T651 to AMS4045K, ANSI H35.2

AMS-QQ-A-250/12A/ASTM B20'

7615 lbs.	.250" x 48.5" x 144.5"
14,673 lbs.	.250" x 60.5" x 144.5"
14,158 lbs.	.375" x 48.5" x 144.5"
18,712 lbs.	.375" x 60.5" x 144.5"
8369 lbs.	.500" x 48.5" x 144.5"
10,052 lbs.	.500" x 60.5" x 144.5"
7280 lbs.	.625" x 48.5" x 144.5"
10,104 lbs.	.625" x 60.5" x 144.5"
16,160 lbs.	.750" x 60.5" x 144.5"
3210 lbs.	.875" x 48.5" x 144.5"
6202 lbs.	.875" x 60.5" x 144.5"
5772 lbs.	1" x 48.5" x 144.5"
24,092 lbs.	1.5" x 48.5" x 144.5"
20,469 lbs.	1.5" x 60.5" x 144.5"
30,602 lbs.	1.75" x 48.5" x 144.5"
7242 lbs.	2" x 48.5" x 144.5"
8156 lbs.	2.25" x 48.5" x 144.5"
9969 lbs.	2.75" x 48.5" x 144.5"
4958 lbs.	2.75" x 60.5" x 144.5"
8671 lbs.	3" x 48.5" x 144.5"
21,628 lbs.	3" x 60.5" x 144.5"
11,728 lbs.	3.25" x 60.5" x 144.5"
9455 lbs.	3.5" x 60.5" x 144.5"
11,564 lbs.	4" x 48.5" x 144.5"
18,025 lbs.	4" x 60.5" x 144.5"
4048 lbs.	4.5" x 60.5" x 144.5"
9022 lbs.	5" x 60.5" x 144.5"
3188 lbs.	6" x 35.43" x 144.5"
8598 lbs.	6" x 48.5" x 144.5"
5377 lbs.	6" x 60.5" x 144.5"

Los Angeles

Alloy 7075 T651 to specs

6896 lbs.	.250" x 48.5" x 144.5"
17,814 lbs.	.250" x 60.5" x 144.5"
6902 lbs.	.500" x 48.5" x 144.5"
9975 lbs.	.500" x 60.5" x 144.5"
9744 lbs.	.750" x 48.5" x 144.5"
8091 lbs.	.750" x 60.5" x 144.5"
3556 lbs.	2" x 60.5" x 144.5"
21,527 lbs.	3" x 60.5" x 144.5"
6298 lbs.	3.5" x 60.5" x 144.5"
3605 lbs.	4" x 60.5" x 144.5"
4048 lbs.	4.5" x 60.5" x 144.5"



395 N. Service Road, Suite 402W • Melville, NY 11747
 Tel: (631) 393-6761 • (800) 370-5520 • Fax: (631) 393-6764
 E-mail: Allmet@aol.com • www.allmetalsales.com

Aluminum Tread Plate/Alloy 3003 H22/tread bright diamond pattern

New Jersey

6997 lbs. .100" x 48" x 120"
 6997 lbs. .100" x 48" x 120"

Aluminum Plate/Alloy 6061 T651/prime & fully certified to ASME-SB 209 AMS4025, 4026, 4027/AMS-OO-A-250/11/ASTM B-209

New Jersey

6836 lbs. .090" x 48" x 144"
 8846 lbs. .090" x 60" x 144"
 10,542 lbs. .125" x 48" x 144"
 7189 lbs. .1875" x 48" x 120"
 13,832 lbs. .1875" x 60" x 120"
 15,627 lbs. .250" x 48.5" x 144.5"
 15,961 lbs. .250" x 60.5" x 144.5"
 7337 lbs. .375" x 48.5" x 144.5"
 17,234 lbs. .375" x 60.5" x 144.5"
 10,410 lbs. .500" x 48.5" x 144.5"
 19,544 lbs. .500" x 60.5" x 144.5"
 10,454 lbs. .625" x 48.5" x 144.5"
 9813 lbs. .625" x 60.5" x 144.5"
 16,122 lbs. .750" x 48.5" x 144.5"
 18,815 lbs. .750" x 60.5" x 144.5"
 6085 lbs. .875" x 60.5" x 144.5"
 10,557 lbs. 1" x 48.5" x 144.5"
 28,670 lbs. 1" x 60.5" x 144.5"
 16,453 lbs. 1.25" x 48.5" x 144.5"
 3223 lbs. 1.25" x 60.5" x 144.5"
 14,260 lbs. 1.375" x 60.5" x 144.5"
 12,401 lbs. 1.5" x 48.5" x 144.5"
 20,676 lbs. 1.5" x 60.5" x 144.5"
 9072 lbs. 1.625" x 48.5" x 144.5"
 16,681 lbs. 1.75" x 60.5" x 144.5"
 24,923 lbs. 2" x 48.5" x 144.5"
 20,827 lbs. 2" x 60.5" x 144.5"
 28,071 lbs. 2.25" x 48.5" x 144.5"
 19,435 lbs. 2.25" x 60.5" x 144.5"
 12,044 lbs. 2.5" x 48.5" x 144.5"
 17,132 lbs. 2.5" x 60.5" x 144.5"
 18,878 lbs. 2.75" x 60.5" x 144.5"
 14,548 lbs. 3" x 48.5" x 144.5"
 20,690 lbs. 3" x 60.5" x 144.5"
 11,296 lbs. 3.25" x 60.5" x 144.5"
 14,540 lbs. 3.5" x 48.5" x 144.5"
 30,221 lbs. 3.5" x 60.5" x 144.5"
 16,642 lbs. 4" x 48.5" x 144.5"
 3501 lbs. 4" x 60.5" x 144.5"
 11,872 lbs. 4.25" x 48.5" x 144.5"
 3444 lbs. 5" x 48.5" x 144.5"
 9200 lbs. 7" x 60.5" x 110"

Los Angeles

9076 lbs. .032" x 48" x 120"
 2679 lbs. .032" x 48" x 144"
 7914 lbs. .040" x 48" x 120"
 13,763 lbs. .040" x 60" x 120"
 12,765 lbs. .040" x 60" x 144"
 11,405 lbs. .050" x 48" x 120"
 10,317 lbs. .050" x 60" x 120"
 25,060 lbs. .050" x 60" x 144"
 26,286 lbs. .063" x 48" x 144"
 31,809 lbs. .063" x 60" x 120"
 21,247 lbs. .063" x 60" x 144"
 7308 lbs. .080" x 48" x 120"
 20,227 lbs. .080" x 48" x 144"
 13,166 lbs. .080" x 60" x 120"
 12,983 lbs. .080" x 60" x 144"
 10,479 lbs. .090" x 48" x 120"
 13,338 lbs. .090" x 48" x 144"
 20,009 lbs. .090" x 60" x 144"
 5137 lbs. .125" x 48" x 96"
 27,113 lbs. .125" x 48" x 120"
 30,754 lbs. .125" x 60" x 120"
 29,861 lbs. .125" x 60" x 144"
 12,665 lbs. .1875" x 48" x 96"
 8543 lbs. .1875" x 60" x 120"
 16,175 lbs. .1875" x 60" x 144"
 37,689 lbs. .188" x 48" x 120"
 12,822 lbs. .188" x 48" x 144"
 23,793 lbs. .188" x 60" x 144"
 4301 lbs. .250" x 48.5" x 96.5"
 19,702 lbs. .250" x 48.5" x 144.5"
 15,029 lbs. .250" x 60" x 120"
 14,880 lbs. .250" x 60.5" x 144.4"
 16,358 lbs. .3125" x 48.5" x 144.5"
 5240 lbs. .375" x 48.5" x 96.5"
 6934 lbs. .375" x 48.5" x 120.5"
 22,402 lbs. .375" x 48.5" x 144.5"
 28,998 lbs. .375" x 60.5" x 120.5"
 20,727 lbs. .375" x 60.5" x 144.5"
 3263 lbs. .500" x 48.5" x 96.5"
 17,732 lbs. .500" x 48.5" x 144.5"
 7817 lbs. .500" x 60.5" x 144.5"
 17,256 lbs. .625" x 60.5" x 144.5"
 16,561 lbs. .750" x 48.5" x 144.5"
 9731 lbs. .750" x 60.5" x 144.5"



395 N. Service Road, Suite 402W • Melville, NY 11747
Tel: (631) 393-6761 • (800) 370-5520 • Fax: (631) 393-6764
E-mail: Allmetl@aol.com • www.allmetalsales.com

Los Angeles

20,845 lbs. 1" x 48.5" x 144.5"
37,407 lbs. 1" x 60.5" x 144.5"
4319 lbs. 1.25" x 48.5" x 144.5"
24,842 lbs. 1.25" x 60.5" x 144.5"
9467 lbs. 1.375" x 60.5" x 144.5"
14,475 lbs. 1.5" x 48.5" x 144.5"
11,676 lbs. 1.5" x 60.5" x 144.5"
7828 lbs. 1.625" x 48.5" x 144.5"
26,519 lbs. 1.75" x 48.5" x 144.5"
6039 lbs. 1.75" x 60.5" x 144.5"
19,355 lbs. 2" x 48.5" x 144.5"
3490 lbs. 2" x 60.5" x 144.5"
7292 lbs. 2.125" x 60.5" x 144.5"
25,933 lbs. 2.5" x 48.5" x 144.5"
25,795 lbs. 2.5" x 60.5" x 144.5"
2077 lbs. 3" x 48.5" x 144.5"
25,762 lbs. 3" x 60.5" x 144.5"
12,871 lbs. 3.75" x 60.5" x 144.5"
19,307 lbs. 4" x 48.5" x 144.5"
21,936 lbs. 4" x 60.5" x 144.5"
17,249 lbs. 5" x 48.5" x 144.5"
8587 lbs. 5" x 60.5" x 144.5"
4127 lbs. 6" x 48.5" x 144.5"
5935 lbs. 9" x 60.5" x 110"
15,590 lbs. 9" x 60.5" x 144.5"
13,120 lbs. 10" x 60.5" x 110"
21,753 lbs. 11" x 60.5" x 110"
7884 lbs. 12" x 60.5" x 110"

Alloy 2024T351/ASTM B209

4839 lbs. 1.125" x 48.5" x 144.5"



395 N. Service Road, Suite 402W • Melville, NY 11747
 Tel: (631) 393-6761 • (800) 370-5520 • Fax: (631) 393-6764
 E-mail: Allmet@aol.com • www.allmetalsales.com

NEW JERSEY

True Muntz Metal - Alloy 280

Cold Rolled - ASTM B36 - Polished Quality

4358 lbs.	.032" x 48" x 96"
2500 lbs.	.032" x 48" x 120"
9891 lbs.	.037" x 48" x 96"
6168 lbs.	.037" x 48" x 120"
6903 lbs.	.045" x 48" x 96"
5093 lbs.	.045" x 48" x 120"
6126 lbs.	.057" x 48" x 120"
5960 lbs.	.076" x 48" x 120"
6549 lbs.	.077" x 48" x 96"
5315 lbs.	.077" x 48" x 120"
4576 lbs.	.118" x 48" x 120"
3534 lbs.	.1875" x 48" x 96"
5930 lbs.	.1875" x 48" x 120"
19,781 lbs.	.245" x 48" x 96"
25,629 lbs.	.245" x 48" x 120"
10,532 lbs.	.375" x 48" x 96"
1303 lbs.	.375" x 48" x 120"
16,936 lbs.	.500" x 48" x 96"
3501 lbs.	.500" x 48" x 120"

Naval Brass Sheet – Alloy 464

Cold Rolled – ASTM B-171 – Polishing Quality

17,470 lbs.	.375" x 48" x 96"
4006 lbs.	.375" x 48" x 120"
2819 lbs.	.500" x 48" x 96"
884 lbs.	.500" x 48" x 120"

Commercial Bronze Sheet – Alloy 220-Half hard

4552 lbs.	.032" x 48" x 120"
2114 lbs.	.060" x 48" x 96"
5043 lbs.	.090" x 48" x 96"
5359 lbs.	.090" x 48" x 120"
4310 lbs.	.122" x 48" x 96"
1157 lbs.	.125" x 48" x 120"
4742 lbs.	.245" x 48" x 96"
5034 lbs.	.245" x 48" x 120"
2280 lbs.	.375" x 48" x 96"
1393 lbs.	.375" x 48" x 120"
1468 lbs.	.500" x 48" x 96"
1848 lbs.	.500" x 48" x 120"

Copper Roofing Sheet Alloy 122

Cold Rolled - ASTM B370 Bare or Lead Coated

16 oz. x 36" x 96"/20 oz. x 36" x 96"
16 oz. x 36" x 120"/20 oz. x 36" x 120"

Brass Sheet Alloy 260 half hard ASTM B-36

Polished Quality - Paper interleaved

3629 lbs.	.090" x 36" x 96"
3212 lbs.	.125" x 36" x 96"

Copper Bus bar – Alloy 110-Round & Square Edge

Silver Plated and bare huge inventory .125" to .500"x1" to 8"x12"

All subject to prior sale