



395 N. Service Road, Suite 402W • Melville, NY 11747
 Tel: (631) 393-6761 • (800) 370-5520 • Fax: (631) 393-6764
 E-mail: Allmet@aol.com • www.allmetalsales.com

All items fully CERTIFIED to American Aluminum Assoc. Standards and Tolerances

New Jersey

Alloy 3003H14 to ASTM B209, ANSI H35.2

17,107 lbs. .125" x 48" x 96"

Los Angeles

Alloy 7075 T651 to AMS4045K, ANSI H35.2

AMS-OO-A-250/12A/ASTM B201

15,108 lbs.	.250" x 48.5" x 144.5"
4145 lbs.	.250" x 60.5" x 144.5"
4948 lbs.	.375" x 48.5" x 144.5"
18,699 lbs.	.375" x 60.5" x 144.5"
15,630 lbs.	.500" x 48.5" x 144.5"
12,323 lbs.	.500" x 60.5" x 144.5"
4617 lbs.	.625" x 48.5" x 144.5"
14,037 lbs.	.625" x 60.5" x 144.5"
8181 lbs.	.750" x 48.5" x 144.5"
4145 lbs.	.750" x 60.5" x 144.5"
7059 lbs.	.875" x 48.5" x 144.5"
6201 lbs.	.875" x 60.5" x 144.5"
15,853 lbs.	1" x 48.5" x 144.5"
34,012 lbs.	1" x 60.5" x 144.5"
2734 lbs.	1.25" x 48.5" x 144.5"
3386 lbs.	1.25" x 60.5" x 144.5"
15,296 lbs.	1.5" x 48.5" x 144.5"
16,394 lbs.	1.5" x 60.5" x 144.5"
20,307 lbs.	2" x 48.5" x 144.5"
21,754 lbs.	2" x 60.5" x 144.5"
11,402 lbs.	2.5" x 60.5" x 144.5"
9969 lbs.	2.75" x 48.5" x 144.5"
4958 lbs.	2.75" x 60.5" x 144.5"
8686 lbs.	3" x 48.5" x 144.5"
10,763 lbs.	3" x 60.5" x 144.5"
5934 lbs.	3.25" x 60.5" x 144.5"
18,900 lbs.	3.5" x 60.5" x 144.5"
5798 lbs.	4" x 48.5" x 144.5"
32,672 lbs.	4" x 60.5" x 144.5"
16,105 lbs.	4.5" x 48.5" x 144.5"

Alloy 7075 T651 to specs

4407 lbs.	.750" x 48.5" x 144.5"
4458 lbs.	.875" x 48.5" x 144.5"
3607 lbs.	1" x 60.5" x 144.5"
4493 lbs.	1.25" x 60.5" x 144.5"
4074 lbs.	1.5" x 60.5" x 144.5"
3578 lbs.	2" x 60.5" x 144.5"
5417 lbs.	3" x 60.5" x 144.5"
3150 lbs.	3.5" x 60.5" x 144.5"
3622 lbs.	4" x 60.5" x 144.5"



ALL METAL SALES CORP.

395 N. Service Road, Suite 402W • Melville, NY 11747
 Tel: (631) 393-6761 • (800) 370-5520 • Fax: (631) 393-6764
 E-mail: Allmetf@aol.com • www.allmetalsales.com

8875 lbs.	5" x 39.37" x 144.5"
22,474 lbs.	5" x 60.5" x 144.5"
3188 lbs.	6" x 35.43" x 144.5"
8598 lbs.	6" x 48.5" x 144.5"
5377 lbs.	6" x 60.5" x 144.5"

Aluminum Tread Plate/Alloy 3003 H22/tread bright diamond pattern

New Jersey

7198 lbs.	.090" x 48" x 144"
6997 lbs.	.100" x 48" x 120"
3318 lbs.	.125" x 48" x 144"

Aluminum Plate/Alloy 6061 T651/prime & fully certified to ASME-SB 209 AMS4025, 4026, 4027/AMS-QQ-A-250/11/ASTM B-209

New Jersey

12,871 lbs.	.250" x 48.5" x 144.5"
12,053 lbs.	.250" x 60.5" x 144.5"
9348 lbs.	.375" x 48.5" x 144.5"
14,413 lbs.	.375" x 60.5" x 144.5"
15,591 lbs.	.500" x 48.5" x 144.5"
4006 lbs.	.500" x 60.5" x 144.5"
3845 lbs.	.625" x 60.5" x 144.5"
3973 lbs.	.750" x 60.5" x 144.5"
5348 lbs.	.875" x 60.5" x 144.5"
9841 lbs.	1" x 48.5" x 144.5"
11,468 lbs.	1" x 60.5" x 144.5"
5291 lbs.	1.25" x 48.5" x 144.5"
14,200 lbs.	1.25" x 60.5" x 144.5"
4828 lbs.	1.375" x 60.5" x 144.5"
6314 lbs.	1.5" x 48.5" x 144.5"
10,450 lbs.	1.5" x 60.5" x 144.5"
4542 lbs.	1.625" x 48.5" x 144.5"
10,697 lbs.	1.75" x 60.5" x 144.5"
16,742 lbs.	2" x 48.5" x 144.5"
15,703 lbs.	2" x 60.5" x 144.5"
3144 lbs.	2.25" x 48.5" x 144.5"
13,754 lbs.	2.25" x 60.5" x 144.5"
12,280 lbs.	2.5" x 48.5" x 144.5"
4334 lbs.	2.5" x 60.5" x 144.5"
7244 lbs.	2.75" x 60.5" x 144.5"
14,657 lbs.	3" x 48.5" x 144.5"
13,119 lbs.	3" x 60.5" x 144.5"
2822 lbs.	3.25" x 60.5" x 144.5"
12,264 lbs.	3.5" x 60.5" x 144.5"
14,042 lbs.	4" x 60.5" x 144.5"
5983 lbs.	4.25" x 48.5" x 144.5"
3735 lbs.	4.25" x 60.5" x 144.5"
8735 lbs.	5" x 60.5" x 144.5"
9555 lbs.	5.5" x 60.5" x 144.5"
5247 lbs.	6" x 60.5" x 144.5"
4321 lbs.	6.5" x 60.5" x 110"
4678 lbs.	7" x 60.5" x 110"

Los Angeles

9430 lbs.	.032" x 48" x 144"
12,569 lbs.	.040" x 48" x 144"
13,763 lbs.	.040" x 60" x 120"
16,625 lbs.	.040" x 60" x 144"
11,405 lbs.	.050" x 48" x 120"
17,204 lbs.	.050" x 48" x 144"
10,317 lbs.	.050" x 60" x 120"
11,131 lbs.	.050" x 60" x 144"
9589 lbs.	.063" x 48" x 120"
7583 lbs.	.063" x 48" x 144"
14,792 lbs.	.063" x 60" x 120"
8751 lbs.	.063" x 60" x 144"
14,817 lbs.	.080" x 48" x 144"
10,479 lbs.	.090" x 48" x 120"
20,009 lbs.	.090" x 60" x 144"
14,310 lbs.	.125" x 60" x 144"
9903 lbs.	.188" x 48" x 144"
12,598 lbs.	.188" x 60" x 120"
14,359 lbs.	.188" x 60" x 144"
3580 lbs.	.250" x 48" x 144"
8046 lbs.	.250" x 48.5" x 144.5"
13,095 lbs.	.250" x 60.5" x 120.5"
44,747 lbs.	.250" x 60.5" x 144.5"
9315 lbs.	.3125" x 48.5" x 144.5"
7187 lbs.	.3125" x 60.5" x 144.5"
4579 lbs.	.375" x 48.5" x 144.5"
3563 lbs.	.375" x 60.5" x 120.5"
33,673 lbs.	.375" x 60.5" x 144.5"
34,744 lbs.	.500" x 60.5" x 144.5"
4365 lbs.	.625" x 48.5" x 144.5"
13,139 lbs.	.625" x 60.5" x 144.5"
22,791 lbs.	.750" x 48.5" x 144.5"
21,872 lbs.	.750" x 60.5" x 144.5"
11,715 lbs.	.875" x 48.5" x 144.5"
10,820 lbs.	.875" x 60.5" x 144.5"
69,174 lbs.	1" x 48.5" x 144.5"
34,318 lbs.	1" x 60.5" x 144.5"



395 N. Service Road, Suite 402W • Melville, NY 11747
 Tel: (631) 393-6761 • (800) 370-5520 • Fax: (631) 393-6764
 E-mail: Allmet@aol.com • www.allmetalsales.com

4965 lbs.
 15,979 lbs.
 6671 lbs.
 7968 lbs.

7.5" x 60.5" x 110"
 8" x 60.5" x 110"
 10" x 60.5" x 110"
 12" x 60.5" x 110"

7147 lbs. 1.125" x 48.5" x 144.5"
 9837 lbs. 1.125" x 60.5" x 144.5"
 19,811 lbs. 1.25" x 60.5" x 144.5"
 14,357 lbs. 1.375" x 48.5" x 144.5"
 27,424 lbs. 1.375" x 60.5" x 144.5"
 10,480 lbs. 1.5" x 48.5" x 144.5"
 19,445 lbs. 1.50" x 60.5" x 144.5"
 15,795 lbs. 1.625" x 48.5" x 144.5"
 8576 lbs. 1.625" x 60.5" x 144.5"
 15,825 lbs. 1.75" x 48.5" x 144.5"
 30,679 lbs. 1.75" x 60.5" x 144.5"
 22,211 lbs. 2" x 48.5" x 144.5"
 15,537 lbs. 2" x 60.5" x 144.5"
 14,859 lbs. 2.125" x 60.5" x 144.5"
 4683 lbs. 2.25" x 48.5" x 144.5"
 11,746 lbs. 2.25" x 60.5" x 144.5"
 4625 lbs. 2.5" x 48.5" x 96.5"
 27,795 lbs. 2.5" x 48.5" x 144.5"
 10,896 lbs. 2.5" x 60.5" x 144.5"
 14,642 lbs. 3" x 48.5" x 144.5"
 10,460 lbs. 3" x 60.5" x 144.5"
 5437 lbs. 3.125" x 60.5" x 144.5"
 2235 lbs. 3.25" x 48.5" x 144.5"
 9683 lbs. 3.5" x 48.5" x 144.5"
 6124 lbs. 3.5" x 60.5" x 144.5"
 10,499 lbs. 3.75" x 48.5" x 144.5"
 6596 lbs. 3.75" x 60.5" x 144.5"
 16,653 lbs. 4" x 48.5" x 144.5"
 14,011 lbs. 4" x 60.5" x 144.5"
 8955 lbs. 4.25" x 48.5" x 144.5"
 9467 lbs. 4.5" x 48.5" x 144.5"
 7817 lbs. 4.5" x 60.5" x 144.5"
 9894 lbs. 4.75" x 48.5" x 144.5"
 27,783 lbs. 5" x 48.5" x 144.5"
 8753 lbs. 5" x 60.5" x 144.5"
 9158 lbs. 5.25" x 60.5" x 144.5"
 3677 lbs. 5.5" x 60.5" x 110"
 25,155 lbs. 6" x 48.5" x 144.5"
 10,472 lbs. 6" x 60.5" x 144.5"
 8135 lbs. 6.125" x 60.5" x 110"
 8369 lbs. 6.25" x 60.5" x 110"
 9400 lbs. 7" x 60.5" x 110"
 10,617 lbs. 8" x 60.5" x 110"



395 N. Service Road, Suite 402W • Melville, NY 11747
Tel: (631) 393-6761 • (800) 370-5520 • Fax: (631) 393-6764
E-mail: Allmetl@aol.com • www.allmetalsales.com

Alloy 2024T351/ASTM B209

4839 lbs. 1.125" x 48.5" x 144.5"

5661 lbs. 8.5" x 60.5" x 110"
17,990 lbs. 9" x 60.5" x 110"
12,650 lbs. 9.5" x 60.5" x 110"
19,921 lbs. 10" x 60.5" x 110"
29,022 lbs. 11" x 60.5" x 110"
15,230 lbs. 11.5" x 60.5" x 110"
7866 lbs. 12" x 60.5" x 108.66"
39,551 lbs. 12" x 60.5" x 110"



395 N. Service Road, Suite 402W • Melville, NY 11747
 Tel: (631) 393-6761 • (800) 370-5520 • Fax: (631) 393-6764
 E-mail: Allmet@aol.com • www.allmetalsales.com

NEW JERSEY

True Muntz Metal - Alloy 280
Cold Rolled - ASTM B36 - Polished Quality

8053 lbs.	.032" x 48" x 96"
9040 lbs.	.032" x 48" x 120"
16,588 lbs.	.037" x 48" x 120"
1027 lbs.	.045" x 48" x 96"
16,204 lbs.	.057" x 48" x 96"
10,067 lbs.	.076" x 48" x 120"
2204 lbs.	.077" x 48" x 96"
9548 lbs.	.118" x 48" x 96"
3089 lbs.	.118" x 48" x 120"
1329 lbs.	.1875" x 48" x 96"
1332 lbs.	.1875" x 48" x 120"
11,495 lbs.	.245" x 48" x 96"
14,414 lbs.	.245" x 48" x 120"
12,615 lbs.	.375" x 48" x 96"
7832 lbs.	.375" x 48" x 120"
22,186 lbs.	.500" x 48" x 96"
7547 lbs.	.500" x 48" x 120"

Copper Roofing Sheet Alloy 122
Cold Rolled - ASTM B370 Bare or Lead Coated
 16 oz. x 36" x 96"/20 oz. x 36" x 96"
 16 oz. x 36" x 120"/20 oz. x 36" x 120"

Brass Sheet Alloy 260 half hard ASTM B-36
Polished Quality - Paper interleaved

5520 lbs.	.016" x 24" x 96"
7520 lbs.	.025" x 36" x 96"
5570 lbs.	.032" x 36" x 96"
8357 lbs.	.040" x 36" x 96"
6888 lbs.	.050" x 36" x 96"
5453 lbs.	.063" x 36" x 96"
4031 lbs.	.080" x 36" x 96"
6989 lbs.	.090" x 36" x 96"
2035 lbs.	.188" x 36" x 96"

Naval Brass Sheet - Alloy 464
Cold Rolled - ASTM B-171 - Polishing Quality

1382 lbs.	.245" x 48" x 96"
22,237 lbs.	.375" x 48" x 96"
13,255 lbs.	.375" x 48" x 120"
4225 lbs.	.500" x 48" x 96"
1766 lbs.	.500" x 48" x 120"

Commercial Bronze Sheet - Alloy 220-Half hard

5610 lbs.	.032" x 48" x 120"	4524 lbs.	.375" x 48" x 96"
5714 lbs.	.050" x 48" x 120"	6988 lbs.	.375" x 48" x 120"
6779 lbs.	.060" x 48" x 96"	1468 lbs.	.500" x 48" x 96"
2069 lbs.	.090" x 36" x 96"	1848 lbs.	.500" x 48" x 120"
8608 lbs.	.090" x 48" x 96"	5137 lbs.	.245" x 48" x 96"
9316 lbs.	.090" x 48" x 120"	3639 lbs.	.245" x 48" x 120"
3560 lbs.	.122" x 48" x 96"		
10,864 lbs.	.125" x 48" x 120"		

Copper Bus bar - Alloy 110-Round & Square Edge
 Silver Plated and bare huge inventory .125" to .500"x1" to 8"x12"

Copper Sheet - Alloy 110 - half hard ASTM B-152

966 lbs.	.040" x 48" x 96"
1193 lbs.	.090" x 36" x 96"

All subject to prior sale