



395 N. Service Road, Suite 402W • Melville, NY 11747
Tel: (631) 393-6761 • (800) 370-5520 • Fax: (631) 393-6764
E-mail: Allmet@aol.com • www.allmetalsales.com

All items fully **CERTIFIED** to American Aluminum Assoc. Standards and Tolerances/ASTM B-209/tension leveled flat sheet

3003H14 **NEW JERSEY**

4980 lbs.	.019" x 36" x 96"
4772 lbs.	.024" x 36" x 96"
10,075 lbs.	.025" x 36" x 96"
10,550 lbs.	.025" x 36" x 120"
9825 lbs.	.030" x 36" x 96"
5432 lbs.	.050" x 48" x 120"
5064 lbs.	.090" x 48" x 96"
4478 lbs.	.090" x 48" x 144"

5052H32 to ASTM B209/AMS4015, 4016, 4017/AMS-QQ-A-250/8ASME SB-209

NEW JERSEY

6512 lbs.	.040" x 36" x 96"
8571 lbs.	.040" x 48" x 96"
3419 lbs.	.050" x 36" x 120"
15,486 lbs.	.050" x 48" x 120"
4416 lbs.	.050" x 60" x 120"
8774 lbs.	.050" x 60" x 144"
12,150 lbs.	.063" x 36" x 96"
13,891 lbs.	.063" x 48" x 96"
4524 lbs.	.080" x 48" x 96"
13,135 lbs.	.080" x 48" x 120"
27,410 lbs.	.090" x 36" x 96"
15,713 lbs.	.090" x 36" x 120"
14,388 lbs.	.090" x 36" x 144"
25,185 lbs.	.090" x 48" x 120"
4389 lbs.	.090" x 48" x 144"
4427 lbs.	.090" x 60" x 96"
12,987 lbs.	.090" x 60" x 120"
10,207 lbs.	.090" x 60" x 144"
3950 lbs.	.100" x 60" x 120"
3298 lbs.	.100" x 60" x 144"
3417 lbs.	.125" x 36" x 144"
12,892 lbs.	.125" x 48" x 120"



395 N. Service Road, Suite 402W • Melville, NY 11747
Tel: (631) 393-6761 • (800) 370-5520 • Fax: (631) 393-6764
E-mail: Allmetl@aol.com • www.allmetalsales.com

2978 lbs.	.188" x 48" x 96"
3040 lbs.	.1875" x 48" x 120"
11,019 lbs.	.188" x 48" x 120"
19,347 lbs.	.250" x 48" x 120"
15,346 lbs.	.250" x 48" x 144"
11,720 lbs.	.250" x 60" x 144"
16,258 lbs.	.500" x 60" x 144"

Alloy 7075 T651 to AMS4044, 4045, 4078 AMS-QQ-A-250/12

AMS-QQ-A-250/24/ASTM B209

15,108 lbs.	.250" x 48.5" x 144.5"
5525 lbs.	.250" x 60.5" x 144.5"
7694 lbs.	.375" x 48.5" x 144.5"
18,699 lbs.	.375" x 60.5" x 144.5"
15,630 lbs.	.500" x 48.5" x 144.5"
12,323 lbs.	.500" x 60.5" x 144.5"
14,037 lbs.	.625" x 60.5" x 144.5"
5990 lbs.	.750" x 48.5" x 144.5"
6914 lbs.	.750" x 60.5" x 144.5"
7059 lbs.	.875" x 48.5" x 144.5"
6201 lbs.	.875" x 60.5" x 144.5"
15,853 lbs.	1" x 48.5" x 144.5"
34,012 lbs.	1" x 60.5" x 144.5"
6420 lbs.	1.25" x 48.5" x 144.5"
11,398 lbs.	1.25" x 60.5" x 144.5"
3776 lbs.	1.75" x 48.5" x 144.5"
26,132 lbs.	2" x 48.5" x 144.5"
36,176 lbs.	2" x 60.5" x 144.5"
4039 lbs.	2.25" x 60.5" x 144.5"
4000 lbs.	2.75" x 48.5" x 144.5"
4958 lbs.	2.75" x 60.5" x 144.5"
4325 lbs.	3" x 48.5" x 144.5"
13,534 lbs.	3" x 60.5" x 144.5"
5934 lbs.	3.25" x 60.5" x 144.5"
25,260 lbs.	3.5" x 60.5" x 144.5"
11,644 lbs.	4" x 48.5" x 144.5"



395 N. Service Road, Suite 402W • Melville, NY 11747
 Tel: (631) 393-6761 • (800) 370-5520 • Fax: (631) 393-6764
 E-mail: Allmetl@aol.com • www.allmetalsales.com

32,672 lbs.	4" x 60.5" x 144.5"
16,105 lbs.	4.5" x 48.5" x 144.5"
20,239 lbs.	4.5" x 60.5" x 144.5"
8875 lbs.	5" x 39.37" x 144.5"
22,474 lbs.	5" x 60.5" x 144.5"
3188 lbs.	6" x 35.43" x 144.5"
8598 lbs.	6" x 48.5" x 144.5"
5377 lbs.	6" x 60.5" x 144.5"

Aluminum Tread Plate/Alloy 3003 H22/tread bright diamond pattern

New Jersey

7198 lbs.	.090" x 48" x 144"
6997 lbs.	.100" x 48" x 120"
3318 lbs.	.125" x 48" x 144"
7831 lbs.	.1875" x 48" x 120"

Aluminum Plate/Alloy 6061 T651/prime & fully certified to ASME-SB 209 AMS4025, 4026, 4027/AMS-OO-A-250/11/ASTM B-209

New Jersey

5393 lbs.	.250" X 48.5" X 144.5"
3585 lbs.	.250" x 60.5" x 144.5"
9348 lbs.	.375" x 48.5" x 144.5"
6164 lbs.	.875" x 48.5" x 144.5"
5348 lbs.	.875" x 60.5" x 144.5"
9841 lbs.	1" x 48.5" x 144.5"
9828 lbs.	1.25" x 60.5" x 144.5"
4828 lbs.	1.375" x 60.5" x 144.5"
2610 lbs.	1.5" x 60.5" x 144.5"
4542 lbs.	1.625" x 48.5" x 144.5"
1508 lbs.	1.75" x 60.5" x 144.5"
19,546 lbs.	2" x 48.5" x 144.5"
8717 lbs.	2" x 60.5" x 144.5"
4334 lbs.	2.5" x 60.5" x 144.5"
4797 lbs.	2.75" x 60.5" x 144.5"
14,657 lbs.	3" x 48.5" x 144.5"
7857 lbs.	3" x 60.5" x 144.5"
2822 lbs.	3.25" x 60.5" x 144.5"
6138 lbs.	3.5" x 60.5" x 144.5"
7042 lbs.	4" x 60.5" x 144.5"

8735 lbs.	5" x 60.5" x 144.5"
9132 lbs.	5.25" x 60.5" x 144.5"
9555 lbs.	5.5" x 60.5" x 144.5"
5247 lbs.	6" x 60.5" x 144.5"
4965 lbs.	7.5" x 60.5" x 110"
15,979 lbs.	8" x 60.5" x 110"
11,927 lbs.	9" x 60.5" x 110"
7968 lbs.	12" x 60.5" x 110"

LOS ANGELES

8711 lbs.	.125" x 60" x 144"
-----------	--------------------

Los Angeles

10,395 lbs.	.032" x 48" x 144"
11,224 lbs.	.050" x 48" x 144"
20,681 lbs.	.063" x 48" x 144"
13,474 lbs.	.080" x 48" x 144"
10,677 lbs.	.090" x 48" x 144"
11,409 lbs.	.090" x 60" x 144"
22,910 lbs.	.125" x 48" x 120"
22,731 lbs.	.125" x 60" x 144"
16,167 lbs.	.1875" x 48" x 144"
18,852 lbs.	.1875" x 60" x 144"
8134 lbs.	.188" x 48" x 120"
9718 lbs.	.188" x 60" x 144"
3580 lbs.	.250" x 48" x 144"
4819 lbs.	.250" x 60.5" x 120.5"
51,947 lbs.	.250" x 60.5" x 144.5"
8183 lbs.	.3125" x 48.5" x 144.5"
7187 lbs.	.3125" x 60.5" x 144.5"
20,402 lbs.	.375" x 48.5" x 144.5"
3563 lbs.	.375" x 60.5" x 120.5"
37,974 lbs.	.375" x 60.5" x 144.5"
9903 lbs.	.500" x 48.5" x 144.5"
10,194 lbs.	.500" x 60.5" x 144.5"
13,121 lbs.	.625" x 60.5" x 144.5"
19,621 lbs.	.750" x 48.5" x 144.5"
17,898 lbs.	.750" x 60.5" x 144.5"
6803 lbs.	.875" x 48.5" x 144.5"
13,915 lbs.	.875" x 60.5" x 144.5"
64,981 lbs.	1" x 48.5" x 144.5"
46,348 lbs.	1" x 60.5" x 144.5"
7147 lbs.	1.125" x 48.5" x 144.5"
9837 lbs.	1.125" x 60.5" x 144.5"
19,810 lbs.	1.25" X 60.5" X 144.5"
14,357 lbs.	1.375" x 48.5" x 144.5"
27,424 lbs.	1.375" x 60.5" x 144.5"
2099 lbs.	1.5" x 48.5" x 96.5"
23,110 lbs.	1.5" x 48.5" x 144.5"
29,908 lbs.	1.50" x 60.5" x 144.5"
15,800 lbs.	1.625" x 48.5" x 144.5"
10,005 lbs.	1.625" x 60.5" x 144.5"



395 N. Service Road, Suite 402W • Melville, NY 11747
Tel: (631) 393-6761 • (800) 370-5520 • Fax: (631) 393-6764
E-mail: Allmetl@aol.com • www.allmetalsales.com

15,825 lbs. 1.75" x 48.5" x 144.5"
26,091 lbs. 1.75" x 60.5" x 144.5"
25,011 lbs. 2" x 48.5" x 144.5"
8592 lbs. 2" x 60.5" x 144.5"
14,859 lbs. 2.125" x 60.5" x 144.5"
17,245 lbs. 2.25" x 48.5" x 144.5"
11,782 lbs. 2.25" x 60.5" x 144.5"
4625 lbs. 2.5" x 48.5" x 96.5"
27,795 lbs. 2.5" x 48.5" x 144.5"
10,882 lbs. 2.5" x 60.5" x 144.5"
8413 lbs. 3" x 48.5" x 144.5"
10,370 lbs. 3" x 60.5" x 144.5"
5437 lbs. 3.125" x 60.5" x 144.5"
22,556 lbs. 3.25" x 48.5" x 144.5"
21,956 lbs. 3.5" x 48.5" x 144.5"
3060 lbs. 3.5" x 60.5" x 144.5"
10,499 lbs. 3.75" x 48.5" x 144.5"
6596 lbs. 3.75" x 60.5" x 144.5"
19,478 lbs. 4" x 48.5" x 144.5"
7002 lbs. 4" x 60.5" x 144.5"
20,612 lbs. 4.25" x 48.5" x 144.5"
12,561 lbs. 4.5" x 48.5" x 144.5"
11,737 lbs. 4.5" x 60.5" x 144.5"
9894 lbs. 4.75" x 48.5" x 144.5"
27,783 lbs. 5" x 48.5" x 144.5"
8753 lbs. 5" x 60.5" x 144.5"
9158 lbs. 5.25" x 60.5" x 144.5"
3677 lbs. 5.5" x 60.5" x 110"
12,509 lbs. 6" x 48.5" x 144.5"
10,472 lbs. 6" x 60.5" x 144.5"
8135 lbs. 6.125" x 60.5" x 110"
8369 lbs. 6.25" x 60.5" x 110"
9352 lbs. 7" x 60.5" x 110"
10,617 lbs. 8" x 60.5" x 110"
17,020 lbs. 8.5" x 60.5" x 110"
23,982 lbs. 9" x 60.5" x 110"
12,650 lbs. 9.5" x 60.5" x 110"
26,522 lbs. 10" x 60.5" x 110"
6918 lbs. 10.5" x 60.5" x 110"
29,022 lbs. 11" x 60.5" x 110"
15,230 lbs. 11.5" x 60.5" x 110"
15,701 lbs. 12" x 60.5" x 108.66"
39,551 lbs. 12" x 60.5" x 110"

Alloy 2024T351/ASTM B209

4839 lbs. 1.125" x 48.5" x 144.5"
4300 lbs. 3" x 48.5" x 144.5"



395 N. Service Road, Suite 402W • Melville, NY 11747
 Tel: (631) 393-6761 • (800) 370-5520 • Fax: (631) 393-6764
 E-mail: Allmet@aol.com • www.allmetalsales.com

NEW JERSEY

True Muntz Metal - Alloy 280

Cold Rolled - ASTM B36 - Polished Quality

6994 lbs.	.032" x 48" x 120"
14,956 lbs.	.037" x 48" x 120"
13,048 lbs.	.045" x 48" x 96"
8736 lbs.	.057" x 48" x 96"
1233 lbs.	.058" x 36" x 96"
1173 lbs.	.118" x 48" x 96"
1464 lbs.	.118" x 48" x 120"
1012 lbs.	.190" x 48" x 120"
13,404 lbs.	.245" x 48" x 96"
15,559 lbs.	.245" x 48" x 120"
2603 lbs.	.375" x 48" x 96"
3915 lbs.	.375" x 48" x 120"
1382 lbs.	.500" x 48" x 96"

Naval Brass Sheet – Alloy 464

Cold Rolled – ASTM B-171 – Polishing Quality

5130 lbs.	.245" x 48" x 96"
21,180 lbs.	.375" x 48" x 96"
13,255 lbs.	.375" x 48" x 120"
4225 lbs.	.500" x 48" x 96"
3532 lbs.	.500" x 48" x 120"

Commercial Bronze Sheet – Alloy 220-Half hard

6779 lbs.	.060" x 48" x 96"	8568 lbs.	.122" x 48" x 96"	2936 lbs.	.500" x 48" x 96"
2069 lbs.	.090" x 36" x 96"	4524 lbs.	.375" x 48" x 96"	1848 lbs.	.500" x 48" x 120"
8608 lbs.	.090" x 48" x 96"	6988 lbs.	.375" x 48" x 120"		
9316 lbs.	.090" x 48" x 120"				

Copper Bus bar – Alloy 110-Round & Square Edge

Silver Plated and bare huge inventory .125" to .500"x1" to 8"x12'

Copper Sheet – Alloy 110 – half hard ASTM B-152

966 lbs. .040" x 48" x 96"

1193 lbs. .090" x 36" x 96"

Stainless Steel Tubing - Type 304/316

Mill finish/Satin/Mirror/Super #8 (non-directional)
 .500" to 4"o.d. x .032" to .125"wall x 20' lengths

Stainless Steel Bar - Type 303/304/316

.250" to 6" x 12' lengths/ Rounds/Square/Hex/Flat Bar
 All subject to prior sale

Copper Roofing Sheet Alloy 122

Cold Rolled - ASTM B370 Bare or Lead Coated

16 oz. x 36" x 96"/20 oz. x 36" x 96"
16 oz. x 36" x 120"/20 oz. x 36" x 120"

Brass Sheet Alloy 260 half hard ASTM B-36

Polished Quality - Paper interleaved

5520 lbs.	.016" x 24" x 96"
9343 lbs.	.025" x 36" x 96"
3446 lbs.	.032" x 36" x 96"
11,312 lbs.	.040" x 36" x 96"
6847 lbs.	.050" x 36" x 96"
8571 lbs.	.063" x 36" x 96"
5045 lbs.	.080" x 36" x 96"
3058 lbs.	.125" x 36" x 96"